



BARREL 190

Code: 81267xxx  
Length: 430 mm  
Length of Cover: 405 mm  
Net Weight/Unit: 0,63 kg  
Package: 50/Box

BARREL MOULDED END 190

Code: 88576xxx  
Length: 425 mm  
Length of Cover: 400 mm  
Net Weight/Unit: 0,52 kg  
Package: 50/Box

# CATALOGUE

## GERARD® ROOFS – TRADEMARK OF AHI ROOFING LIMITED

AHI Roofing leads the world in steel roof tile production and technology. Recognition of market needs has driven the company's success. Roofs produced by AHI Roofing have protected many thousands of homes and commercial buildings around the world since 1957.

Gerard® Classic, Diamant, Heritage and Milano Tiles, Shakes and Shingles, form the basis of an ever-growing range of profiles in regular demand across Europe and throughout the rest of the world.

Our company's vision is to provide innovative high quality roofing systems that everyone aspires to have on their home. Our company's core values include a willingness to meet all challenges, to conduct our affairs with honesty and integrity and, very importantly, to provide our customers with genuine value for money.

AHI Roofing is a subsidiary of Fletcher Building Limited, a company which has a world wide reputation in the building materials sector.

### STORAGE

If stored outside, a waterproof cover must be placed over the tiles to keep them dry and prevent damage to the substrate.

### WET SURFACE

To prevent surface damage it is important not to walk or work on the roof when it is wet.

### HANDLING

Care should be taken when handling the tiles to avoid damage to the surface. Where minor damage does occur, the finishing kit should be used to repair the damage.

### PACKAGING

Tiles and accessories should be stored on wooden pallets and protected by a plastic cover. A pallet consists of between 250 and 350 tiles. This represents a roofing area of between 115 and 175 m<sup>2</sup>. The base dimensions of tile pallets are 1430 x 1070 mm and in case of Diamant profile 1430 x 1120 mm. The maximum height of a pallet is 1000 mm. Tiles are stacked on each pallet up to a maximum weight of 1150 kg.

Pallet Tile: 1430 mm x 1070 mm  
Pallet Tile Diamant: 1430 mm x 1120 mm  
Pallet Accessories Large: 2050 mm x 1070 mm  
Pallet Accessories Small: 1430 mm x 1120 mm

## ESTIMATING THE QUANTITY OF TILES REQUIRED


An accurate quotation of the quantity of tiles and accessories should be obtained from the distributor. Some simple methods of estimating are described in the Installation Manual.

## IDENTIFICATION

Each Run is identified individually; this identification can be found on the labels attached to the pallets and on the backs of the tiles. Product traceability is ensured from manufacturing through to installation. The labels can be kept and filed. The chip used to coat our textured roofing tiles is crushed natural rock and there may be slight colour variations between different batches of chip.

Each Run of tiles is colour coded at the time of manufacture using a letter code, referred to as the batch code; this letter code is located on the Pallet Label on each end of the pallet and not on the reverse side of the tile. This letter code changes whenever there is a colour change in the tiles whether it is within a Run (rarely) or at the next Run. Colours are matched against the last colour standard for the particular colour and profile of the tile.

It is essential that tiles used on an individual roof have the same batch code and it is also recommended that tiles used are from the same Run number if possible. Where this is not possible (e.g. for large roof installations) tiles with different batch codes can be used on different areas of the roof, but they should be separated at the edges of the roof (e.g. at ridges, hips and valleys). Tiles with different batch codes should NEVER be mixed on one roof area.



Reverse side of the tile



Label

Close-up of the label



Run No.

Batch Code

### SAP Code - examples:

81267,xxx  
PRODUCT COLOUR CODE

82401,xx  
PRODUCT FIRST 2 DIGITS OF COLOUR CODE



Code: 84201xxx

Length of Tile: 1320 mm  
 Length of Cover: 1265 mm  
 Width of Cover: 369 mm  
 Tiles/m<sup>2</sup>: 2.14  
 Minimum Pitch: 12° (21%)

Net Weight/Tile: 3,05 kg  
 Qty/Pallet: 350  
 Pallet Weight: 1091 kg  
 Pallet Volume: 1,22 m<sup>3</sup>

Pallet Tile (1430 mm × 1070 mm × 800 mm)



Code: 80101xxx

Length of Tile: 1335 mm  
 Length of Cover: 1270 mm  
 Width of Cover: 400 mm  
 Tiles/m<sup>2</sup>: 1.97  
 Minimum Pitch: 14° (25%)

Net Weight/Tile: 3,17 kg  
 Qty/Pallet: 350  
 Pallet Weight: 1152 kg  
 Pallet Volume: 1,28 m<sup>3</sup>

Pallet Tile (1430 mm × 1120 mm × 800 mm)



Code: 81601xxx

Length of Tile: 1320 mm  
 Length of Cover: 1250 mm  
 Width of Cover: 369 mm  
 Tiles/m<sup>2</sup>: 2.17  
 Minimum Pitch: 12° (21%)

Net Weight/Tile: 3,01 kg  
 Qty/Pallet: 350  
 Pallet Weight: 1077 kg  
 Pallet Volume: 1,22 m<sup>3</sup>

Pallet Tile (1430 mm × 1070 mm × 800 mm)



Code: 82101xxx

Length of Tile: 1335 mm  
 Length of Cover : 1215 mm  
 Width of Cover: 368 mm  
 Tiles/m<sup>2</sup>: 2.24  
 Minimum Pitch: 12° (21%)

Net Weight/Tile: 3,03 kg  
 Qty/Pallet: 350  
 Pallet Weight: 1084 kg  
 Pallet Volume: 1,22 m<sup>3</sup>

Pallet Tile (1430 mm × 1070 mm × 800 mm)



Code: 83601xxx

Length of Tile: 1310 mm  
 Length of Cover: 1250 mm  
 Width of Cover: 370 mm  
 Tiles/m<sup>2</sup>: 2.16  
 Minimum Pitch: 15° (27%)

Net Weight/Tile: 3,13 kg  
 Qty/pallet: 250  
 Pallet Weight: 807 kg  
 Pallet Volume: 1,22 m<sup>3</sup>

Pallet Tile (1430 mm × 1070 mm × 800 mm)



Code: 83801xxx

Length of Tile: 1320 mm  
 Length of Cover: 1260 mm  
 Width of Cover: 368 mm  
 Tiles/m<sup>2</sup>: 2.16  
 Minimum Pitch: 15° (27%)


Net Weight/Tile: 3,11 kg  
 Qty/Pallet: 250  
 Pallet Weight: 802 kg  
 Pallet Volume: 1,22 m<sup>3</sup>

Pallet Tile (1430 mm × 1070 mm × 800 mm)

# COMPONENTS

## BARREL 190


Code: 81267xxx



Length: 430 mm  
 Length of Cover: 405 mm  
 Net Weight/Unit: 0,63 kg  
 Qty/Pallet: 615  
 Pallet Weight: 434 kg  
 Pallet Volume: 1,27 m<sup>3</sup>  
 Pallet Access: Small (1430×1120×800 mm)

## BARREL END 190


Code: 81273xxx



Diameter: 190 mm  
 Net Weight/Unit: 0,15 kg

## BARREL MOULDED END 190

Code: 88576xxx



Length: 425 mm  
 Length of Cover: 400 mm  
 Net Weight/Unit: 0,52 kg  
 Package: 30/Box

## Y-HIP 190 15-30°

Code: 83411xxx



Net Weight/Unit: 0,80 kg  
 Package: 6/Box

## Y-HIP 190 30-45°

Code: 83441xxx



Net Weight/Unit: 0,78 kg  
 Package: 6/Box

## ANGLE TRIM

Code: 82625xxx



Length: 405 mm  
 Length of Cover: 370 mm  
 Net Weight/Unit: 0,51 kg  
 Qty/Pallet: 1080  
 Pallet Weight: 594 kg  
 Pallet Volume: 1,43 m<sup>3</sup>  
 Pallet Access: Small (1430×1120×900 mm)

## ANGLE TRIM END

Code: 82654xxx



Net Weight/Unit: 0,09 kg




## BOX BARGE



Code: 81210xxx

Length: 2000 mm  
 Length of Cover: 1900 mm  
 Net Weight/Unit: 2,10 kg  
 Qty/Pallet: 360  
 Pallet Weight: 782 kg  
 Pallet Volume: 1,60 m<sup>3</sup>  
 Pallet Access: Large (2050×1070×730 mm)

## FLAT SHEET 490



Code: 81265xxx

Dimensions: 2000 mm × 490 mm  
 Net Weight/Unit: 5,0 kg  
 Qty/Pallet: 250  
 Pallet Weight: 1282 kg  
 Pallet Volume: 1,10 m<sup>3</sup>  
 Pallet Access: Large (2050×1070×500 mm)


## EAVES FLASHING



Code: 81248xxx

Length: 2000 mm  
 Length of Cover: 1900 mm  
 Net Weight/Unit: 1,74 kg  
 Qty/Pallet: 360  
 Pallet Weight: 660 kg  
 Pallet Volume: 1,10 m<sup>3</sup>  
 Pallet Access: Large (2050×1070×500 mm)

## SIDE FLASHING



Code: 81213xxx

Length: 2000 mm  
 Length of Cover: 1900 mm  
 Net Weight/Unit: 1,64 kg  
 Qty/Pallet: 360  
 Pallet Weight: 630 kg  
 Pallet Volume: 1,32 m<sup>3</sup>  
 Pallet Access: Large (2050×1070×600 mm)


## COMBINATION VALLEY GREYFRIARS



Code: 81933621

Length: 2400 mm  
 Length of Cover: 2300 mm  
 Net Weight/Unit: 2,50 kg  
 Qty/Pallet: 100  
 Pallet Weight: 283 kg  
 Pallet Volume: 1,75 m<sup>3</sup>


## SCRIBED BOX BARGE LEFT L/H



Code: 81268xxx

Length: 1200 mm  
 Length of Cover: 1100 mm  
 Net Weight/Unit: 1,62 kg  
 Qty/Pallet: 360  
 Pallet Weight: 620 kg  
 Pallet Volume: 1,38 m<sup>3</sup>  
 Pallet Access: Small (1430×1120×800 mm)

## SCRIBED BOX BARGE RIGHT R/H



Code: 81269xxx

Length: 1200 mm  
 Length of Cover: 1100 mm  
 Net Weight/Unit: 1,62 kg  
 Qty/Pallet: 360  
 Pallet Weight: 620 kg  
 Pallet Volume: 1,38 m<sup>3</sup>  
 Pallet Access: Small (1430×1120×800 mm)

# COMPONENTS


## SCRIBED FLAT SHEET LEFT L/H



Code: 81203xxx

Length: 1200 mm  
Length of Cover: 1100 mm  
Net Weight/Unit: 1,62 kg  
Qty/Pallet: 216  
Pallet Weight: 390 kg  
Pallet Volume: 0,80 m<sup>3</sup>  
Pallet Access: Small (1430×1120×500 mm)


## SCRIBED FLAT SHEET RIGHT R/H



Code: 81204xxx

Length: 1200 mm  
Length of Cover: 1100 mm  
Net Weight/Unit: 1,62 kg  
Qty/Pallet: 216  
Pallet Weight: 390 kg  
Pallet Volume: 0,80 m<sup>3</sup>  
Pallet Access: Small (1430×1120×500 mm)


## MILANO RIDGE FLASHING



Code: 82180xxx

Length: 1308 mm  
Length of Cover: 1215 mm  
Net Weight/Unit: 1,08 kg  
Qty/Pallet: 240  
Pallet Weight: 300 kg  
Pallet Volume: 0,60 m<sup>3</sup>  
Pallet Access: Small (1430×1120×380 mm)


## RIDGE/BARGE EXTENDER



Code: 81291xxx

Length: 1200 mm  
Net weight/Unit: 1,54 kg  
Qty/Pallet: 240  
Pallet/Box Weight: 408 kg  
Pallet Access: Small

## DEEP BOX BARGE



Code: 81223xxx

Length: 1200 mm  
Net Weight/Unit: 1,63 kg  
Qty/Pallet: 200  
Pallet Weight: 364 kg  
Pallet Access: Small

## VISION TILE CLASSIC



Code: 826400

Length of Tile: 1320 mm  
Length of Cover: 1265 mm  
Width of cover: 369 mm

## COWL VENT G2


Code: 84361xxx CLASSIC: GG2  
Code: 87361xxx HERITAGE: HG2  
Code: 86361xxx SHAKE: CG2  
Code: 88361xxx SHINGLE: OBG2  
Code: 89791xxx DIAMANT: DG2  
Code: 89361xxx MILANO: MG2



Free Ventilation Area: 75 cm<sup>2</sup>  
Weight: max. 1,25 kg  
Package: 5/Box

## SANITARY VENT G15-45 ISO

Code: 89211xxx CLASSIC: GG15-45 ISO  
 Code: 89011xxx HERITAGE: HG15-45 ISO  
 Code: 89311xxx SHAKE: CG15-45 ISO  
 Code: 89111xxx SHINGLE: OBG 15-45 ISO  
 Code: 89781xxx DIAMANT: DG 15-45 ISO  
 Code: 89411xxx MILANO: MG 15-45 ISO



150 mm x 150 mm  
 Roof Pitch: 15 - 45°  
 Weight: max. 1,95 kg  
 Package: 1/Box

## VENT G110

Code: 84461xxx CLASSIC: GG110  
 Code: 87461xxx HERITAGE: HG110  
 Code: 86461xxx SHAKE: CG110  
 Code: 88461xxx SHINGLE: OBG110  
 Code: 89771xxx DIAMANT: DG110  
 Code: 89461xxx MILANO: MG110



Connection: Ø 110 mm  
 Weight: max. 1,25 kg  
 Package: 1/Box

## ANTENNA OUTLET G16

Code: 84381xxx CLASSIC: GG16  
 Code: 87381xxx HERITAGE: HG16  
 Code: 86381xxx SHAKE: CG16  
 Code: 88381xxx SHINGLE: OBG16  
 Code: 89891xxx DIAMANT: DG16  
 Code: 89381xxx MILANO: MG16



Weight: max. 1,10 kg  
 Package: 1/Box

## GAS FLUE OUTLET G125

Code: 84621xxx CLASSIC: GG125  
 Code: 87621xxx HERITAGE: HG125  
 Code: 85621xxx SHAKE: CG125  
 Code: 88621xxx SHINGLE: OBG125  
 Code: 89871xxx DIAMANT: DG125  
 Code: 89621xxx MILANO: MG125



Connection: Ø 125 mm  
 Weight: 0,90 kg  
 Package: 10/Box (GG, HG, CG, OBG, MG)

## TUBE TILE 1 PIPE

Code: 84431xxx CLASSIC  
 Code: 89431xxx MILANO  
 Code: 86431xxx CORONA  
 Code: 88431xxx SENATOR  
 Code: 89761xxx DIAMANT  
 Code: 87431xxx HERITAGE



Max. Ø 69 mm pipe  
 Weight: max. 1,42 kg  
 Package: 5/Box (Senator 8/box)

## TUBE TILE 2 PIPES


Code: 84491xxx CLASSIC  
 Code: 89491xxx MILANO  
 Code: 86491xxx CORONA  
 Code: 88491xxx SENATOR  
 Code: 89751xxx DIAMANT  
 Code: 87441xxx HERITAGE



Two pipes max. Ø 27 mm  
 Weight: max. 1,42 kg  
 Package: 5/Box (Senator 8/box)

# COMPONENTS

## ROOF ESCAPE WINDOW



Weight: max. 6,42 kg  
Package: 1/Box

Code: 8452xx CLASSIC: GG-DA1  
Code: 8352xx HERITAGE: HG-DA1  
Code: 8852xx SHINGLE: OBG-DA1

## SOLAR HOLDER



Net weight: 0,9 kg  
Loose packaging

Code: 894400

## SAFETY HOOK



Net Weight: 0,675 kg

Code: 800065

## BASEPLATE COMPLETE WITH BOLTS GRS/BP



Net Weight/Unit: 1,1 kg  
Package: 20/Box

Code: 865123

## UPPER BRACKET GRS/BP/1



Net Weight/Unit: 0,55 kg  
Package: 20/Box

Code: 865124

## PLATFORM BRACKET GRS/BP/20



Net Weight/Unit: 0,7 kg  
Package: 20/Box

Code: 865127




## STEP GRS/BP/21



Net Weight/Unit: 1,1 kg  
Package: 10/Box

Code: 865125


## PLATFORM COMPLETE WITH BOLTS GRS/BP/420



Net Weight/Unit: 1,72 kg

Code: 865126


## PLATFORM COMPLETE WITH BOLTS GRS/BP/800



Net Weight/Unit: 3,24 kg

Code: 894267

## PLATFORM COMPLETE WITH BOLTS GRS/BP/1000



Net Weight/Unit: 4,12 kg

Code: 894268

## REPAIR KIT



Net Weight: 2 kg

Code: 81255xxx

## NAILS 50 X 2,8 GALVANIZED

Package: 1,5 kg/box

Code: 872551 Black  
Code: 872553 Red  
Code: 872555 Green  
Code: 872556 Grey  
Code: 872557 Burgundy



Package: 5 kg/box

Code: 873551 Black  
Code: 873553 Red  
Code: 873555 Green  
Code: 873556 Grey  
Code: 873557 Burgundy



# COMPONENTS


## SCREWS/FASTENERS 1,5"

Package: 500 pcs/pack

Code: 870551 BLACK ■  
Code: 870550 BROWN ■  
Code: 870553 RED ■  
Code: 870554 GREEN ■

Package: 100 pcs/pack

Code: 81934650 BLACK ■  
Code: 81934610 BROWN ■  
Code: 81934623 RED ■  
Code: 81934613 GREEN ■



## 1/4" DRIVE TRU SOCKET

Net weight 0,03 kg



Code: 866263

## GUILLOTINE

Weight: 30 kg  
Package Volume: 0,14 m<sup>3</sup>  
Package Box: (1190×640×185 mm)



Replacement parts:

Code: 896507 straight blade

Code: 896506 curved blade

Code: 81965091

## COMBINED BENDER

Code: 81965031

Weight: 60 kg  
Package Volume: 0,20 m<sup>3</sup>  
Package Box: (920×860×260 mm)



Code: 81965055 short tile bender

Code: 81965050 long tile bender

## European Head Office

AHI Roofing Kft.  
Fehérvári út 28/14  
8100 Várpalota  
Hungary  
Phone: (+36) 88 552 800  
Fax: (+36) 88 552 888  
Email: [office@gerardroofs.eu](mailto:office@gerardroofs.eu)  
[www.gerardroofs.eu](http://www.gerardroofs.eu)  
[www.gerard.hu](http://www.gerard.hu)

## Adriatic Region

AHI Roofing Adriatic  
Dunajska cesta 129  
SI-1000 Ljubljana  
Slovenia  
Phone: (+386) 1 56 00 730  
Fax: (+386) 1 56 00 735  
Email: [info@ahiroofing.si](mailto:info@ahiroofing.si)  
[www.gerardroofs.si](http://www.gerardroofs.si)

## Ukraine / Belarus / Kazakhstan / Azerbaijan / Georgia

Phone: (+38) 0504476297  
[www.ahiroofing.com.ua](http://www.ahiroofing.com.ua)

## Poland / Baltic States

AHI Roofing Poland  
Space Distribution Center,  
ul Modularna 3a  
02-238 Warszawa, Poland  
Phone: (+48) 22 575 5225  
Fax: (+48) 22 575 5223  
E-mail: [info@ahiroofing.pl](mailto:info@ahiroofing.pl)  
[www.ahiroofing.com.pl](http://www.ahiroofing.com.pl)

## France

AHI Roofing France  
Espace Mi-plaine  
20 Avenue des Frères Montgolfier  
69680 CHASSIEU  
Phone: (+33) 04 72 67 92 11  
Fax: (+33) 04 72 67 92 53  
Email: [ahi.roofing@free.fr](mailto:ahi.roofing@free.fr)  
[www.ahiroofing.com.fr](http://www.ahiroofing.com.fr)



# COLOUR CHART

xxx ... colour code to be added at order stage

xx ..... first 2 digits of colour code to be added at order stage



## REDWOOD

Classic/Heritage/Milano: 161  
Diamant: 165




## CHESTNUT

Classic/Heritage/Milano: 121  
Corona Shake: 127  
Diamant: 125



## SPANISH RED

Classic/Heritage/Milano: 231  
Diamant: 235



## SAPPHIRE

Classic/Heritage/Milano: 281  
Diamant: 285



## PEPPER

Classic/Heritage/Milano: 241  
Corona Shake: 247  
Diamant: 245



## CHARCOAL

Classic/Heritage/Milano: 111  
Corona Shake: 117  
Diamant: 115




## CEDAR

Classic/Heritage/Milano: 101  
Corona Shake: 107  
Diamant: 105



## FOREST GREEN

Classic/Heritage/Milano: 311  
Corona Shake: 317  
Diamant: 315



## ASHWOOD

Classic/Heritage/Milano: 171  
Corona Shake: 177  
Diamant: 175



## SAGE

Classic/Heritage/Milano: 271  
Diamant: 275



## TUSCANY

Classic/Heritage/Milano: 181  
Diamant: 185



## ROSSO

Classic/Heritage/Milano: 201  
Diamant: 205



## BURGUNDY

Classic/Heritage/Milano: 151  
Diamant: 155



## BARK

Senator Shingle: 687  
Accessories: 121




## RAVINE

Senator Shingle: 727  
Accessories: 721



## ANTICO

Milano: 751  
Accessories: 201



## SUNSET

Senator Shingle: 677  
Accessories: 161



## ECLIPSE

Senator Shingle: 657  
Accessories: 111

Every effort has been made to accurately reproduce colours, but, for technical reasons connected with colour reproduction, printed colours may differ from actual product colours. Please refer to actual colour samples before purchasing.



Authorised partner of GERARD®